


## ANNEXES

### Annexe 1 : Diagramme de flux de sélection des articles



Annexe 2 : Tableau des études « RCT » incluses dans les revues systématiques de littérature

Population	Auteur	Date	P	Saoudi 2017	Le et al. 2017	Watson et al. 2016
enfants	Anuel et al.	2012	U			U
enfants	Austin et al.	2007	U	U	U	
enfants	Dalle Grave et al.	2001	U	U	U	U
enfants	De León et al.	2008	U		U	
enfants	Ghaderi et al.	2005	U	U	U	U+S
enfants	González et al.	2011	U	U	U	
enfants	Huang et al.	2007	U		U	
enfants	McCabe et al.	2006	U		U	U+S
enfants	McVey et al.	2007	U	U	U	
enfants	McVey et al.	2009	U		U	U
enfants	Mora et al.	2015	U	U	U	
enfants	O'Dea et Abraham	2000	U	U	U	U+S
enfants	Wade et al.	2003	U	U	U	U+S
enfants	Wilksch	2015	U	U	U	U+S
enfants	Wilksch et Wade	2009	U	U	U	U+S
enfants	Wilksch et Wade	2013	U	U	U	U+S
enfants	Wilksch, Paxton et al.	2015	U	U	U	
enfants	Atkinson et Wade	2015	S	S		S
enfants	Canetti et al.	2009	S	S	S	S
enfants	Corning et al.	2010	S			S
enfants	Dohnt et Tiggemann	2008	S	S	S	S
enfants	Doyle et al.	2008	S	S	S	S
enfants	Heinicke et al.	2007	S		S	S
enfants	Killen et al.	1993	S	U	S	S
enfants	Linville	2015	S			S
enfants	Martinsen et al.	2014	S	S	U	
enfants	Phelps et al.	2000	S	S		S
enfants	Rohde et al.	2014	S	S	S	S
enfants	Sharpe et al.	2013	S	S	S	S
enfants	Stice, Rohde et al.	2009	S	S	S	S
enfants	Stice, Trost et Chase	2003	S	S	S	S
enfants	Tirlea et al.	2016	S	S		
enfants	Wilksch et al.	2008	S	S	S	S
enfants	Withers et Wertheim	2004	S	S		
enfants	Follansbee-Junger et al.	2010	C	C		
enfants	Jones et al.	2008	C	C	C	

P : type de prévention / U : universelle / S : sélective / C : ciblée

Population	Auteur	Date	P	Saoudi 2017	Le et al. 2017	Watson et al. 2016
enfants	Tanofsky-Kraff et al.	2010	C	C		S
enfants	Tanofsky-Kraff et al.	2014	C	C	S	S
enfants	Espinoza et al.	2013	U	U		
enfants	Jáuregui Lobera et al.	2010	U	U		
enfants	Johnson et al.	2016	U	U		
enfants	Kater et al.	2002	U	U		
enfants	Mora et al.	2017	U	U		
enfants	Wilksch et al.	2006	U	U		
enfants	Abascal et al.	2004	S	S		
enfants	Austin et al.	2005	S	S	S	
enfants	Buchholz et al.	2008	S	S	S	S
enfants	Elliot et al.	2004	S	S	S	
enfants	Elliot et al.	2006	S		S	
enfants	Heinze et al.	2000	S	S		
enfants	López-Guimerà et al.	2011	S	S	S	
enfants	McVey et al.	2004	S	S	S	
enfants	McVey et Davis	2002	S	S	S	
enfants	Neumark-Sztainer et al.	1995	S		S	
enfants	Neumark-Sztainer et al.	2000	S	S	S	S
enfants	Neumark-Sztainer et al.	2010	S	S	S	
enfants	Olmsted et al.	2002	S	S	S	S
enfants	Raich et al.	2008	S		S	
enfants	Raich et al.	2010	S	S		
enfants	Rodriguez et al.	2008	S	S		
enfants	Stice, Rohde et al.	2011	S	S	S	
enfants	Weiss et Wertheim	2005	S	S	S	
enfants	Whisenhunt et al.	2008	S			S
enfants	Buddeberg-Fischer et al.	1998	C	S	C	
enfants	Tanofsky-Kraff et al.	2017	C	C		

P : type de prévention / U : universelle / S : sélective / C : ciblée

Population	Auteur	Date	P	Saoudi 2017	Le et al. 2017	Watson et al. 2016
adultes	Alberts et al.	2012	S		S	S
adultes	Musiat et al.	2014	U	U		U
adultes	Zabinski, Calfas et al.	2001	U		U	
adultes	Abood et Black	2000	S			S
adultes	Aspen and al.	2015	S			S
adultes	Atkinson et Wade	2016	S	S	S	S
adultes	Bearman et al.	2003	S		S	S
adultes	Becker et al.	2005	S	S	S	S
adultes	Becker et al.	2006	S	S	S	S
adultes	Becker et al.	2010	S	S	S	S
adultes	Becker et al.	2012	S	S		S
adultes	Becker et al.	2008	S	S	S	S
adultes	Boivin et al.	2008	S		S	
adultes	Brown et Keel	2015	S	S		S
adultes	Bucchianeri et Corning	2012	S	S		
adultes	Butters et Cash	1987	S		S	S
adultes	Celio et al.	2000	S	S	S	S
adultes	Coughlin et Kalodner	2006	S	S		S+C
adultes	Dworkin et Kerr	1987	S		S	
adultes	Earnhardt et al.	2002	S			S
adultes	Favaro et al.	2005	S	S	S	S
adultes	Fisher and Thompson	1994	S			S
adultes	Franko et al.	2005	S	S	S	S+C
adultes	Franko et al.	2012	S			S
adultes	Gollings et Paxton	2006	S		S	
adultes	Green et al.	2005	S	S	S	S+C
adultes	Hay et al.	2007	S			S
adultes	Irving et Berel	2001	S	S	S	S
adultes	Jacobi et al.	2007	S	S	S	S
adultes	Kass et al.	2014	S	S	S	
adultes	Lafont et Oberle	2014	S			S
adultes	Low et al.	2006	S	S	S	S
adultes	Luethcke et al.	2011	S		S	
adultes	Mama et al.	2015	S			S
adultes	Mann	1997	S			S
adultes	Martz et al.	1997	S	S		
adultes	Martz et Bazzini	1999	S		S	S

P : type de prévention / U : universelle / S : sélective / C : ciblée

Population	Auteur	Date	P	Saoudi 2017	Le et al. 2017	Watson et al. 2016
adultes	Matusek et al.	2004	S	S	S	S
adultes	McLean et al.	2011	S		S	S
adultes	McMillan et al.	2011	S	S	S	S
adultes	Mitchell et al.	2007	S	S	S	S
adultes	Mutterperl	2002	S		S	S
adultes	Nicolino et al.	2001	S	S	S	S
adultes	Pearson et al.	2012	S		S	S
adultes	Posavak et al.	2001	S			S
adultes	Presnell et Stice	2003	S		S	
adultes	Ridolfi et Vander Wal	2008	S	S	S	S
adultes	Roehrig et al.	2006	S	S		
adultes	Rosen et al.	1989	S	S	S	S
adultes	Santonastaso et al.	1999	S	S	S	S
adultes	Serdar et al.	2014	S	S	S	S
adultes	Shafran et al.	2009	S		S	
adultes	Smith et Petrie	2008	S	S	S	S
adultes	Stice, Butryn et al.	2013	S	S	S	S
adultes	Stice, Chase et al.	2001	S	S	S	S
adultes	Stice, Durant et al.	2014	S	S	S	S
adultes	Stice, Marti et al.	2008	S	S	S	S
adultes	Stice, Marti et Cheng	2014	S	S		
adultes	Stice, Rohde et al.	2012a	S	S	S	S
adultes	Stice, Rohde et al.	2012b	S	S		
adultes	Stice, Rohde et al.	2012c	S			S
adultes	Stice, Rohde et al.	2013a	S	S	S	S
adultes	Stice, Rohde et al.	2013b	S	S	S	S
adultes	Stice, Rohde et al.	2015	S	S	S	S
adultes	Stice, Shaw et al.	2006	S	S	S	S
adultes	Stice, Yokum et Waters	2015	S	S		
adultes	Taylor et al.	2006	S	S	S	S
adultes	Winzelberg et al.	1998	S	S	S	S
adultes	Winzelberg et al.	2000	S	S	S	S
adultes	Wiseman et al.	2004	S	S	S	
adultes	Zabinski et al.	2004	S	S	S	S
adultes	Zabinski, Pung et al.	2001	S	S		S
adultes	Zandian et al.	2009	S	S		
adultes	Delinsky et Wilson	2006	C		S	C

P : type de prévention / U : universelle / S : sélective / C : ciblée

Population	Auteur	Date	P	Saoudi 2017	Le et al. 2017	Watson et al. 2016
adultes	Jacobi et al.	2012	C	S	C	C
adultes	Kaminski et McNamara	1996	C	C	S	C
adultes	McComb et Clopton	2003	C			C
adultes	O'Brien et LeBow	2007	C	C	S	S
adultes	Paxton et al.	2007	C	S	C	S
adultes	Saekow et al.	2015	C			C
adultes	Taylor et al.	2016	C	C		

P : type de prévention / U : universelle / S : sélective / C : ciblée

## Bibliographie des articles « RCT » inclus dans les revues systématiques de littérature

- Abascal L, Bruning Brown J, Winzelberg AJ, Dev P, Taylor CB. Combining universal and targeted prevention for school-based eating disorder programs. *Int J Eat Disord.* 2004;35(1):1–9.
- Aboud DA, Black DR. Health Education Prevention for Eating Disorders Among College Female Athletes. *American Journal of Health Behavior.* 2000;24(3):209–19.
- Alberts HJEM, Thewissen R, Raes L. Dealing with problematic eating behaviour. The effects of a mindfulness-based intervention on eating behaviour, food cravings, dichotomous thinking and body image concern. *Appetite.* 2012;58(3):847–51.
- Anuel A, Bracho A, Brito N, Rondon JE, Sulbaran D. [Cognitive mechanisms and self-acceptance of body image]. *Psicothema.* 2012;24(3):390–5.
- Aspen V, Martijn C, Alleva JM, Nagel J, Perret C, Purvis C, et al. Decreasing body dissatisfaction using a brief conditioning intervention. *Behav Res Ther.* 2015;69:93–9.
- Atkinson MJ, Wade TD. Mindfulness-based prevention for eating disorders: A school-based cluster randomized controlled study. *Int J Eat Disord.* 2015;48(7):1024–37.
- Atkinson MJ, Wade TD. Does mindfulness have potential in eating disorders prevention? A preliminary controlled trial with young adult women. *Early Interv Psychiatry.* 2016;10(3):234–45.
- Austin SB, Field AE, Wiecha J, Peterson KE, Gortmaker SL. The impact of a school-based obesity prevention trial on disordered weight-control behaviors in early adolescent girls. *Arch Pediatr Adolesc Med.* 2005;159(3):225–30.
- Austin SB, Kim J, Wiecha J, Troped PJ, Feldman HA, Peterson KE. School-based overweight preventive intervention lowers incidence of disordered weight-control behaviors in early adolescent girls. *Arch Pediatr Adolesc Med.* 2007;161(9):865–9.
- Bearman SK, Stice E, Chase A. Evaluation of an Intervention Targeting Both Depressive and Bulimic Pathology: A Randomized Prevention Trial. *Behav Ther.* 2003;34(3):277–93.
- Becker CB, Bull S, Schaumberg K, Cauble A, Franco A. Effectiveness of peer-led eating disorders prevention: a replication trial. *J Consult Clin Psychol.* 2008;76(2):347–54.
- Becker CB, McDaniel L, Bull S, Powell M, McIntyre K. Can we reduce eating disorder risk factors in female college athletes? A randomized exploratory investigation of two peer-led interventions. *Body Image.* 2012;9(1):31–42.
- Becker CB, Smith LM, Ciao AC. Reducing eating disorder risk factors in sorority members: A randomized trial. *Behavior Therapy.* 2005;36(3):245–53.
- Becker CB, Smith LM, Ciao AC. Peer-facilitated eating disorder prevention: A randomized effectiveness trial of cognitive dissonance and media advocacy. *Journal of Counseling Psychology.* 2006;53(4):550–5.
- Becker CB, Wilson C, Williams A, Kelly M, McDaniel L, Elmquist J. Peer-facilitated cognitive dissonance versus healthy weight eating disorders prevention: A randomized comparison. *Body Image.* 2010;7(4):280–8.
- Boivin MK, Polivy J, Herman CP. An intervention to modify expectations of unrealistic rewards from thinness. *Eat Disord.* 2008;16(2):160–79.
- Brown TA, Keel PK. A randomized controlled trial of a peer co-led dissonance-based eating disorder prevention program for gay men. *Behav Res Ther.* 2015;74:1–10.
- Bucchianeri MM, Corning AF. An Experimental Test of Women's Body Dissatisfaction Reduction through Self-Affirmation. *Appl Psychol Health Well Being.* 2012;4(2):188–201.

- Buchholz A, Mack H, McVey G, Feder S, Barrowman N. BodySense: an evaluation of a positive body image intervention on sport climate for female athletes. *Eat Disord.* 2008;16(4):308–21.
- Buddeberg-Fischer B, Klaghofer R, Gnam G, Buddeberg C. Prevention of disturbed eating behaviour: a prospective intervention study in 14- to 19-year-old Swiss students. *Acta Psychiatr Scand.* 1998;98(2):146–55.
- Butters JW, Cash TF. Cognitive-behavioral treatment of women's body-image dissatisfaction. *J Consult Clin Psychol.* 1987;55(6):889–97.
- Canetti L, Bachar E, Gur E, Stein D. The influence of a primary prevention program on eating-related attitudes of Israeli female middle-school students. *J Adolesc.* 2009;32(2):275–91.
- Celio AA, Winzelberg AJ, Wilfley DE, Eppstein-Herald D, Springer EA, Dev P, et al. Reducing risk factors for eating disorders: comparison of an Internet- and a classroom-delivered psychoeducational program. *J Consult Clin Psychol.* 2000;68(4):650–7.
- Corning AF, Gondoli DM, Bucchianeri MM, Salafia EHB. Preventing the development of body issues in adolescent girls through intervention with their mothers. *Body Image.* 2010;7(4):289–95.
- Coughlin JW, Kalodner C. Media literacy as a prevention intervention for college women at low- or high-risk for eating disorders. *Body Image.* 2006;3(1):35–43.
- Dalle Grave R, De Luca L, Campello G. Middle school primary prevention program for eating disorders: a controlled study with a twelve-month follow-up. *Eat Disord.* 2001;9(4):327–37.
- De Leon EPM, Mancilla Diaz JM, Camacho Ruiz EJ. A pilot study of the clinical and statistical significance of a program to reduce eating disorder risk factors in children. *Eat Weight Disord.* 2008;13(3):111–8.
- Delinsky SS, Wilson GT. Mirror exposure for the treatment of body image disturbance. *Int J Eat Disord.* 2006;39(2):108–16.
- Dohnt HK, Tiggemann M. Promoting positive body image in young girls: an evaluation of “Shapesville”. *Eur Eat Disord Rev.* 2008;16(3):222–33.
- Doyle AC, Goldschmidt A, Huang C, Winzelberg AJ, Taylor CB, Wilfley DE. Reduction of overweight and eating disorder symptoms via the Internet in adolescents: a randomized controlled trial. *J Adolesc Health.* 2008;43(2):172–9.
- Dworkin SH, Kerr BA. Comparison of interventions for women experiencing body image problems. *Journal of Counseling Psychology.* 1987;34(2):136.
- Earnhardt JL, Martz DM, Ballard ME, Curtin L. A Writing Intervention for Negative Body Image. *Journal of College Student Psychotherapy.* 2002;17(1):19–35.
- Elliot DL, Goldberg L, Moe EL, DeFrancesco CA, Durham MB, Hix-Small H. Preventing substance use and disordered eating: initial outcomes of the ATHENA (athletes targeting healthy exercise and nutrition alternatives) program. *Arch Pediatr Adolesc Med.* 2004;158(11):1043–9.
- Elliot DL, Moe EL, Goldberg L, DeFrancesco CA, Durham MB, Hix-Small H. Definition and outcome of a curriculum to prevent disordered eating and body-shaping drug use. *J Sch Health.* 2006;76(2):67–73.
- Espinoza P, Penelo E, Raich RM. Prevention programme for eating disturbances in adolescents. Is their effect on body image maintained at 30 months later? *Body Image.* 2013;10(2):175–81.
- Favaro A, Zanetti T, Huon G, Santonastaso P. Engaging teachers in an eating disorder preventive intervention. *Int J Eat Disord.* 2005;38(1):73–7.
- Fisher E, Thompson JK. A comparative evaluation of cognitive-behavioral therapy (CBT) versus exercise therapy (ET) for the treatment of body image disturbance. Preliminary findings. *Behav Modif.* 1994;18(2):171–85.



- Follansbee-Junger K, Janicke DM, Sallinen BJ. The influence of a behavioral weight management program on disordered eating attitudes and behaviors in children with overweight. *J Am Diet Assoc.* 2010;110(11):1653–9.
- Franko DL, Jenkins A, Rodgers RF. Toward Reducing Risk for Eating Disorders and Obesity in Latina College Women. *Journal of Counseling & Development.* 2012;90(3):298–307.
- Franko DL, Mintz LB, Villapiano M, Green TC, Mainelli D, Follansbee L, et al. Food, mood, and attitude: reducing risk for eating disorders in college women. *Health Psychol.* 2005;24(6):567–78.
- Ghaderi A, Martensson M, Schwan H. “Everybody’s Different”: a primary prevention program among fifth grade school children. *Eat Disord.* 2005;13(3):245–59.
- Gollings EK, Paxton SJ. Comparison of internet and face-to-face delivery of a group body image and disordered eating intervention for women: a pilot study. *Eat Disord.* 2006;14(1):1–15.
- Gonzalez M, Penelo E, Gutierrez T, Raich RM. Disordered eating prevention programme in schools: a 30-month follow-up. *Eur Eat Disord Rev.* 2011;19(4):349–56.
- Graff Low K, Charanasomboon S, Lesser J, Reinhalter K, Martin R, Jones H, et al. Effectiveness of a computer-based interactive eating disorders prevention program at long-term follow-up. *Eat Disord.* 2006;14(1):17–30.
- Green M, Scott N, Diyankova I, Gasser C. Eating disorder prevention: an experimental comparison of high level dissonance, low level dissonance, and no-treatment control. *Eat Disord.* 2005;13(2):157–69.
- Hay P, Mond J, Paxton S, Rodgers B, Darby A, Owen C. What are the effects of providing evidence-based information on eating disorders and their treatments? A randomized controlled trial in a symptomatic community sample. *Early Interv Psychiatry.* 2007;1(4):316–24.
- Heinicke BE, Paxton SJ, McLean SA, Wertheim EH. Internet-delivered targeted group intervention for body dissatisfaction and disordered eating in adolescent girls: a randomized controlled trial. *J Abnorm Child Psychol.* 2007;35(3):379–91.
- Heinze V, Wertheim EH, Kashima Y. An Evaluation of the Importance of Message Source and Age of Recipient in a Primary Prevention Program for Eating Disorders. *Eating Disorders.* 2000;8(2):131–45.
- Huang JS, Norman GJ, Zabinski MF, Calfas K, Patrick K. Body image and self-esteem among adolescents undergoing an intervention targeting dietary and physical activity behaviors. *J Adolesc Health.* 2007;40(3):245–51.
- Irving LM, Berel SR. Comparison of Media-Literacy Programs to Strengthen College Women’s Resistance to Media Images. *Psychology of Women Quarterly.* 2001;25(2):103–11.
- Jacobi C, Morris L, Beckers C, Bronisch-Holtze J, Winter J, Winzelberg AJ, et al. Maintenance of internet-based prevention: a randomized controlled trial. *Int J Eat Disord.* 2007;40(2):114–9.
- Jacobi C, Volker U, Trockel MT, Taylor CB. Effects of an Internet-based intervention for subthreshold eating disorders: a randomized controlled trial. *Behav Res Ther.* 2012;50(2):93–9.
- Jauregui Lobera I, Leon Lozano P, Bolanos Rios P, Romero Candau J, Sanchez Del Villar Y Lebreros G, Morales Millan MT, et al. Traditional and new strategies in the primary prevention of eating disorders: a comparative study in Spanish adolescents. *Int J Gen Med.* 2010;3:263–72.
- Johnson C, Burke C, Brinkman S, Wade T. Effectiveness of a school-based mindfulness program for transdiagnostic prevention in young adolescents. *Behav Res Ther.* 2016;81:1–11.
- Jones M, Luce KH, Osborne MI, Taylor K, Cunnig D, Doyle AC, et al. Randomized, controlled trial of an internet-facilitated intervention for reducing binge eating and overweight in adolescents. *Pediatrics.* 2008;121(3):453–62.
- Kaminski PL, McNamara K. A Treatment for College Women at Risk for Bulimia: A Controlled Evaluation. *Journal of Counseling & Development.* 1996;74(3):288–94.

- Kass AE, Trockel M, Safer DL, Sinton MM, Cuning D, Rizk MT, et al. Internet-based preventive intervention for reducing eating disorder risk: A randomized controlled trial comparing guided with unguided self-help. *Behav Res Ther.* 2014;63:90–8.
- Kater KJ, Rohwer J, Londre K. Evaluation of an Upper Elementary School Program to Prevent Body Image, Eating, and Weight Concerns. *Journal of School Health.* 2002;72(5):199–204.
- Killen JD, Taylor CB, Hammer LD, Litt I, Wilson DM, Rich T, et al. An attempt to modify unhealthful eating attitudes and weight regulation practices of young adolescent girls. *Int J Eat Disord.* 1993;13(4):369–84.
- Lafont J, Oberle CD. Expressive writing effects on body image: Symptomatic versus asymptomatic women. *Psychology.* 2014;5(05):431.
- Linville D, Cobb E, Lenee-Bluhm T, Lopez-Zeron G, Gau JM, Stice E. Effectiveness of an eating disorder preventative intervention in primary care medical settings. *Behav Res Ther.* 2015;75:32–9.
- Lopez-Guimera G, Sanchez-Carracedo D, Fauquet J, Portell M, Raich RM. Impact of a school-based disordered eating prevention program in adolescent girls: general and specific effects depending on adherence to the interactive activities. *Span J Psychol.* 2011;14(1):293–303.
- Luethcke CA, McDaniel L, Becker CB. A comparison of mindfulness, nonjudgmental, and cognitive dissonance-based approaches to mirror exposure. *Body Image.* 2011;8(3):251–8.
- Mama SK, Schembre SM, O'Connor DP, Kaplan CD, Bode S, Lee RE. Effectiveness of lifestyle interventions to reduce binge eating symptoms in African American and Hispanic women. *Appetite.* 2015;95:269–74.
- Mann T, Nolen-Hoeksema S, Huang K, Burgard D, Wright A, Hanson K. Are two interventions worse than none? Joint primary and secondary prevention of eating disorders in college females. *Health Psychol.* 1997;16(3):215–25.
- Martinsen M, Bahr R, Borresen R, Holme I, Pensgaard AM, Sundgot-Borgen J. Preventing eating disorders among young elite athletes: a randomized controlled trial. *Med Sci Sports Exerc.* 2014;46(3):435–47.
- Martz DM, Bazzini DG. Eating disorders prevention programming may be failing: Evaluation of 2 one-shot programs. *Journal of College Student Development.* 1999;40(1):32–42.
- Martz DM, Gravesz KD, Sturgis ET. A pilot peer-leader eating disorders prevention program for sororities. *Eating Disorders.* 1997;5(4):294–308.
- Matusek JA, Wendt SJ, Wiseman CV. Dissonance thin-ideal and didactic healthy behavior eating disorder prevention programs: results from a controlled trial. *Int J Eat Disord.* 2004;36(4):376–88.
- McCabe MP, Ricciardelli LA, Salmon J. Evaluation of a prevention program to address body focus and negative affect among children. *J Health Psychol.* 2006;11(4):589–98.
- McComb JJR, Clopton JR. The effects of movement, relaxation, and education on the stress levels of women with subclinical levels of bulimia. *Eat Behav.* 2003;4(1):79–88.
- McLean SA, Paxton SJ, Wertheim EH. A body image and disordered eating intervention for women in midlife: a randomized controlled trial. *J Consult Clin Psychol.* 2011;79(6):751–8.
- McMillan W, Stice E, Rohde P. High- and low-level dissonance-based eating disorder prevention programs with young women with body image concerns: an experimental trial. *J Consult Clin Psychol.* 2011;79(1):129–34.
- McVey G, Gusella J, Tweed S, Ferrari M. A controlled evaluation of web-based training for teachers and public health practitioners on the prevention of eating disorders. *Eat Disord.* 2009;17(1):1–26.
- McVey GL, Davis R. A Program to Promote Positive Body Image: A 1-Year Follow-Up Evaluation. *The Journal of Early Adolescence.* 2002;22(1):96–108.


- McVey GL, Davis R, Tweed S, Shaw BF. Evaluation of a school-based program designed to improve body image satisfaction, global self-esteem, and eating attitudes and behaviors: a replication study. *Int J Eat Disord.* 2004;36(1):1–11.
- McVey G, Tweed S, Blackmore E. Healthy Schools-Healthy Kids: a controlled evaluation of a comprehensive universal eating disorder prevention program. *Body Image.* 2007;4(2):115–36.
- Mitchell KS, Mazzeo SE, Rausch SM, Cooke KL. Innovative interventions for disordered eating: Evaluating dissonance-based and yoga interventions. *Int J Eat Disord.* 2007;40(2):120–8.
- Mora M, Penelo E, Gutierrez T, Espinoza P, Gonzalez ML, Raich RM. Assessment of two school-based programs to prevent universal eating disorders: media literacy and theatre-based methodology in Spanish adolescent boys and girls. *ScientificWorldJournal.* 2015;2015:328753.
- Mora M, Penelo E, Roses R, Gonzalez ML, Espinoza P, Devi J, et al. Pilot assessment of two disordered eating prevention programs. Preliminary findings on maladaptive beliefs related to eating disorders. *Eat Behav.* 2017;25:51–7.
- Musiat P, Conrod P, Treasure J, Tylee A, Williams C, Schmidt U. Targeted prevention of common mental health disorders in university students: randomised controlled trial of a transdiagnostic trait-focused web-based intervention. *PLoS One.* 2014;9(4):e93621.
- Mutterperl JA, Sanderson CA. Mind over matter: internalization of the thinness norm as a moderator of responsiveness to norm misperception education in college women. *Health Psychol.* 2002;21(5):519–23.
- Neumark-Sztainer D, Sherwood NE, Collier T, Hannan PJ. Primary prevention of disordered eating among preadolescent girls: feasibility and short-term effect of a community-based intervention. *J Am Diet Assoc.* 2000;100(12):1466–73.
- Neumark-Sztainer D, Butler R, Palti H. Eating disturbances among adolescent girls: Evaluation of a school-based primary prevention program. *Journal of Nutrition Education.* 1995;27(1):24–31.
- Neumark-Sztainer DR, Friend SE, Flattum CF, Hannan PJ, Story MT, Bauer KW, et al. New Moves—Preventing Weight-Related Problems in Adolescent Girls: A Group-Randomized Study. *American Journal of Preventive Medicine.* 2010;39(5):421–32.
- Nicolino JC, Martz DM, Curtin L. Evaluation of a cognitive-behavioral therapy intervention to improve body image and decrease dieting in college women. *Eat Behav.* 2001;2(4):353–62.
- O’Brien KM, LeBow MD. Reducing maladaptive weight management practices: developing a psychoeducational intervention program. *Eat Behav.* 2007;8(2):195–210.
- O’Dea JA, Abraham S. Improving the body image, eating attitudes, and behaviors of young male and female adolescents: a new educational approach that focuses on self-esteem. *Int J Eat Disord.* 2000;28(1):43–57.
- Olmsted MP, Daneman D, Rydall AC, Lawson ML, Rodin G. The effects of psychoeducation on disturbed eating attitudes and behavior in young women with type 1 diabetes mellitus. *Int J Eat Disord.* 2002;32(2):230–9.
- Paxton SJ, McLean SA, Gollings EK, Faulkner C, Wertheim EH. Comparison of face-to-face and internet interventions for body image and eating problems in adult women: An RCT. *Int J Eat Disord.* 2007;40(8):692–704.
- Pearson AN, Follette VM, Hayes SC. A Pilot Study of Acceptance and Commitment Therapy as a Workshop Intervention for Body Dissatisfaction and Disordered Eating Attitudes. *Cognitive and Behavioral Practice.* 2012;19(1):181–97.
- Phelps L, Sapia J, Nathanson D, Nelson L. An empirically supported eating disorder prevention program. *Psychol Schs.* 2000;37(5):443–52.
- Posavac HD, Posavac SS, Weigel RG. Reducing the Impact of Media Images on Women At Risk For Body Image Disturbance: Three Targeted Interventions. *Journal of Social and Clinical Psychology.* 2001;20(3):324–40.

- Presnell K, Stice E. An experimental test of the effect of weight-loss dieting on bulimic pathology: tipping the scales in a different direction. *J Abnorm Psychol.* 2003;112(1):166–70.
- Raich RM, Portell M, Pelaez-Fernandez MA. Evaluation of a school-based programme of universal eating disorders prevention: is it more effective in girls at risk? *Eur Eat Disord Rev.* 2010;18(1):49–57.
- Raich RM, Sanchez-Carracedo D, Lopez-Guimera G, Portell M, Moncada A, Fauquet J. A controlled assessment of school-based preventive programs for reducing eating disorder risk factors in adolescent Spanish girls. *Eat Disord.* 2008;16(3):255–72.
- Ridolfi DR, Vander Wal JS. Eating disorders awareness week: the effectiveness of a one-time body image dissatisfaction prevention session. *Eat Disord.* 2008;16(5):428–43.
- Rodriguez R, Marchand E, Ng J, Stice E. Effects of a cognitive dissonance-based eating disorder prevention program are similar for Asian American, Hispanic, and White participants. *Int J Eat Disord.* 2008;41(7):618–25.
- Roehrig M, Thompson JK, Brannick M, van den Berg P. Dissonance-based eating disorder prevention program: a preliminary dismantling investigation. *Int J Eat Disord.* 2006;39(1):1–10.
- Rohde P, Auslander BA, Shaw H, Raineri KM, Gau JM, Stice E. Dissonance-based prevention of eating disorder risk factors in middle school girls: results from two pilot trials. *Int J Eat Disord.* 2014;47(5):483–94.
- Rosen JC, Saltzberg E, Srebnik D. Cognitive behavior therapy for negative body image. *Behavior Therapy.* 1989;20(3):393–404.
- Saekow J, Jones M, Gibbs E, Jacobi C, Fitzsimmons-Craft EE, Wilfley D, et al. StudentBodies-eating disorders: A randomized controlled trial of a coached online intervention for subclinical eating disorders. *Internet Interventions.* 2015;2(4):419–28.
- Santonastaso P, Zanetti T, Ferrara S, Olivotto MC, Magnavita N, Favaro A. A preventive intervention program in adolescent schoolgirls: a longitudinal study. *Psychother Psychosom.* 1999;68(1):46–50.
- Serdar K, Kelly NR, Palmberg AA, Lydecker JA, Thornton L, Tully CE, et al. Comparing online and face-to-face dissonance-based eating disorder prevention. *Eat Disord.* 2014;22(3):244–60.
- Shafran R, Farrell C, Lee M, Fairburn CG. Brief cognitive behavioural therapy for extreme shape concern: an evaluation. *Br J Clin Psychol.* 2009;48(Pt 1):79–92.
- Sharpe H, Schober I, Treasure J, Schmidt U. Feasibility, acceptability and efficacy of a school-based prevention programme for eating disorders: cluster randomised controlled trial. *Br J Psychiatry.* 2013;203(6):428–35.
- Smith A, Petrie T. Reducing the Risk of Disordered Eating Among Female Athletes: A Test of Alternative Interventions. *Journal of Applied Sport Psychology.* 2008;20(4):392–407.
- Stice E, Chase A, Stormer S, Appel A. A randomized trial of a dissonance-based eating disorder prevention program. *Int J Eat Disord.* 2001;29(3):247–62.
- Stice E, Butryn ML, Rohde P, Shaw H, Marti CN. An effectiveness trial of a new enhanced dissonance eating disorder prevention program among female college students. *Behav Res Ther.* 2013;51(12):862–71.
- Stice E, Durant S, Rohde P, Shaw H. Effects of a prototype Internet dissonance-based eating disorder prevention program at 1- and 2-year follow-up. *Health Psychol.* 2014;33(12):1558–67.
- Stice E, Marti CN, Cheng ZH. Effectiveness of a dissonance-based eating disorder prevention program for ethnic groups in two randomized controlled trials. *Behav Res Ther.* 2014;55:54–64.
- Stice E, Marti CN, Spoor S, Presnell K, Shaw H. Dissonance and healthy weight eating disorder prevention programs: long-term effects from a randomized efficacy trial. *J Consult Clin Psychol.* 2008;76(2):329–40.


- Stice E, Rohde P, Butryn ML, Shaw H, Marti CN. Effectiveness trial of a selective dissonance-based eating disorder prevention program with female college students: Effects at 2- and 3-year follow-up. *Behav Res Ther.* 2015;71:20–6.
- Stice E, Rohde P, Durant S, Shaw H. A preliminary trial of a prototype Internet dissonance-based eating disorder prevention program for young women with body image concerns. *J Consult Clin Psychol.* 2012a;80(5):907–16.
- Stice E, Rohde P, Durant S, Shaw H, Wade E. Effectiveness of peer-led dissonance-based eating disorder prevention groups: results from two randomized pilot trials. *Behav Res Ther.* 2013a;51(4–5):197–206.
- Stice E, Rohde P, Gau J, Shaw H. An effectiveness trial of a dissonance-based eating disorder prevention program for high-risk adolescent girls. *J Consult Clin Psychol.* 2009;77(5):825–34.
- Stice E, Rohde P, Gau J, Shaw H. Effect of a dissonance-based prevention program on risk for eating disorder onset in the context of eating disorder risk factors. *Prev Sci.* 2012b;13(2):129–39.
- Stice E, Rohde P, Shaw H, Gau J. An effectiveness trial of a selected dissonance-based eating disorder prevention program for female high school students: Long-term effects. *J Consult Clin Psychol.* 2011;79(4):500–8.
- Stice E, Rohde P, Shaw H, Marti CN. Efficacy trial of a selective prevention program targeting both eating disorder symptoms and unhealthy weight gain among female college students. *J Consult Clin Psychol.* 2012c;80(1):164–70.
- Stice E, Rohde P, Shaw H, Marti CN. Efficacy trial of a selective prevention program targeting both eating disorders and obesity among female college students: 1- and 2-year follow-up effects. *J Consult Clin Psychol.* 2013b;81(1):183–9.
- Stice E, Shaw H, Burton E, Wade E. Dissonance and healthy weight eating disorder prevention programs: a randomized efficacy trial. *J Consult Clin Psychol.* 2006;74(2):263–75.
- Stice E, Trost A, Chase A. Healthy weight control and dissonance-based eating disorder prevention programs: results from a controlled trial. *Int J Eat Disord.* 2003;33(1):10–21.
- Stice E, Yokum S, Waters A. Dissonance-Based Eating Disorder Prevention Program Reduces Reward Region Response to Thin Models; How Actions Shape Valuation. *PLoS One.* 2015;10(12):e0144530.
- Tanofsky-Kraff M, Shomaker LB, Wilfley DE, Young JF, Sbrocchio T, Stephens M, et al. Targeted prevention of excess weight gain and eating disorders in high-risk adolescent girls: a randomized controlled trial. *Am J Clin Nutr.* 2014;100(4):1010–8.
- Tanofsky-Kraff M, Shomaker LB, Wilfley DE, Young JF, Sbrocchio T, Stephens M, et al. Excess weight gain prevention in adolescents: Three-year outcome following a randomized controlled trial. *J Consult Clin Psychol.* 2017;85(3):218–27.
- Tanofsky-Kraff M, Wilfley DE, Young JF, Mufson L, Yanovski SZ, Glasofer DR, et al. A Pilot Study of Interpersonal Psychotherapy for Preventing Excess Weight Gain in Adolescent Girls At-risk for Obesity. *Int J Eat Disord.* 2010;43(8):701–6.
- Taylor CB, Bryson S, Luce KH, Cunniff D, Doyle AC, Abascal LB, et al. Prevention of eating disorders in at-risk college-age women. *Arch Gen Psychiatry.* 2006;63(8):881–8.
- Taylor CB, Kass AE, Trockel M, Cunniff D, Weisman H, Bailey J, et al. Reducing eating disorder onset in a very high risk sample with significant comorbid depression: A randomized controlled trial. *J Consult Clin Psychol.* 2016;84(5):402–14.
- Tirlea L, Truby H, Haines TP. Pragmatic, Randomized Controlled Trials of the Girls on the Go! Program to Improve Self-Esteem in Girls. *Am J Health Promot.* 2016;30(4):231–41.
- Wade TD, Davidson S, O’Dea JA. A preliminary controlled evaluation of a school-based media literacy program and self-esteem program for reducing eating disorder risk factors. *Int J Eat Disord.* 2003;33(4):371–83; discussion 384–387.

- Weiss K, Wertheim EH. An evaluation of a prevention program for disordered eating in adolescent girls: examining responses of high- and low-risk girls. *Eat Disord.* 2005;13(2):143–56.
- Whisenhunt BL, Williamson DA, Drab-Hudson DL, Walden H. Intervening with coaches to promote awareness and prevention of weight pressures in cheerleaders. *Eat Weight Disord.* 2008;13(2):102–10.
- Wilksch SM, Paxton SJ, Byrne SM, Austin SB, McLean SA, Thompson KM, et al. Prevention Across the Spectrum: a randomized controlled trial of three programs to reduce risk factors for both eating disorders and obesity. *Psychol Med.* 2015;45(9):1811–23.
- Wilksch SM. School-based eating disorder prevention: a pilot effectiveness trial of teacher-delivered Media Smart. *Early Interv Psychiatry.* 2015;9(1):21–8.
- Wilksch SM, Durbridge MR, Wade TD. A preliminary controlled comparison of programs designed to reduce risk of eating disorders targeting perfectionism and media literacy. *J Am Acad Child Adolesc Psychiatry.* 2008;47(8):937–47.
- Wilksch SM, Tiggemann M, Wade TD. Impact of interactive school-based media literacy lessons for reducing internalization of media ideals in young adolescent girls and boys. *Int J Eat Disord.* 2006;39(5):385–93.
- Wilksch SM, Wade TD. Reduction of shape and weight concern in young adolescents: a 30-month controlled evaluation of a media literacy program. *J Am Acad Child Adolesc Psychiatry.* 2009;48(6):652–61.
- Wilksch SM, Wade TD. Life Smart: a pilot study of a school-based program to reduce the risk of both eating disorders and obesity in young adolescent girls and boys. *J Pediatr Psychol.* 2013;38(9):1021–9.
- Winzelberg AJ, Eppstein D, Eldredge KL, Wilfley D, Dasmahapatra R, Dev P, et al. Effectiveness of an Internet-based program for reducing risk factors for eating disorders. *J Consult Clin Psychol.* 2000;68(2):346–50.
- Winzelberg AJ, Taylor CB, Sharpe T, Eldredge KL, Dev P, Constantinou PS. Evaluation of a computer-mediated eating disorder intervention program. *Int J Eat Disord.* 1998;24(4):339–49.
- Wiseman CV, Sunday SR, Bortolotti F, Halmi KA. Primary prevention of eating disorders through attitude change: a two country comparison. *Eat Disord.* 2004;12(3):241–50.
- Withers GF, Wertheim EH. Applying the elaboration likelihood model of persuasion to a videotape-based eating disorders primary prevention program for adolescent girls. *Eat Disord.* 2004;12(2):103–24.
- Zabinski MF, Calfas KJ, Gehrman CA, Wilfley DE, Sallis JF. Effects of a physical activity intervention on body image in university seniors: project GRAD. *Ann Behav Med.* 2001;23(4):247–52.
- Zabinski MF, Pung MA, Wilfley DE, Eppstein DL, Winzelberg AJ, Celio A, et al. Reducing risk factors for eating disorders: targeting at-risk women with a computerized psychoeducational program. *Int J Eat Disord.* 2001;29(4):401–8.
- Zabinski MF, Wilfley DE, Calfas KJ, Winzelberg AJ, Taylor CB. An interactive psychoeducational intervention for women at risk of developing an eating disorder. *J Consult Clin Psychol.* 2004;72(5):914–9.
- Zandian M, Ioakimidis I, Bergh C, Sodersten P. Linear eaters turned decelerated: reduction of a risk for disordered eating? *Physiol Behav.* 2009;96(4–5):518–21.

### Annexe 3: Années de publication des études



Graphique 1 – Années de publication des études « RCT »



Graphique 2 – Années de publication des études « non RCT »